Byron Sofa Bed







What's in the box*

*Not to scale


Seat cushion



Easier assembly with two people

Seat cushion cover

x1



What's in the box*

*Not to scale



Large gumnut



Small gumnut

x5



Stopper **x2**



Legs



Backrest pivot pin

x2





Backrest cushion





x1



Backrest cushion cover

x2






Pull out top panel




Pull out top rear panel

x1


Partially screw in the two Large Gumnuts onto both Armrests.




2 Slot the backrest bracket onto the gumnuts. Repeat for the other side.




Fully tighten the gumnuts on both Armrests.




Tilt the frame onto the backrest.



Partially screw in the Small Gumnuts onto the front of both Armrests.




6. Slot the Front Beam onto the Small Gumnuts.





7 Fully screw the Legs onto the Armrests.






Fully tighten the 2 Small Gumnuts.







Remove velcro protective strips on the bottom of the Armrests and Back Panel.




10. Carefully rotate the sofabed onto its legs.




Insert the Seat Panels onto frame, installing from the back of the board to the front.




Drape the cover over frame. Using two hands, pull the cover over the Armrests so the corners are neat. Start from the bottom front of both Armrests.




13 Secure the velco to the frame.




Start the assembly of the pull out frame by inserting the Front Panel into the Pullout Rails.




Align the keyslot holes with the Pull out top panel pins and slide into place.




16. Tilt frame onto the front panel and push the baseboard down to lock. Repeat for second base board.



Position the L-brackets on the back of the rear baseboard and secure with the Small gumnuts.




18. Fully screw in the Small Gumnut as shown.




19. Starting with the ends, secure the front panel cover onto the pull out frame.






20. Roll the pull-out platform under the sofa frame.




21 Lay the seat cushion cover fabric side down on the ground.




22. Locate the colored tabs on the Seat cushion.




Place Seat cushion on top of cover so that tab colors are matching. Secure the velcro on the front and rear of the Seat cushion.




Place topper onto sleep surface and zip closed. Fold the Seat cushion closed.







Attach the strap to the armrest as shown by fully tightening the pivot pin through the eyelet to to lock it in place. This anchors the cushion permanently to the frame so it can't slip or shift in use..




27. Apply cover to the top of the separate Backrest component. Secure velcro along the top edge.




Flip the Backrest upside down and thread the green strap through the corresponding holes in the cover. Then secure the cover using velcro.




29. Slot the Backrest onto pivot pins.




30. Attach the buckle to the Backrest loop and pull tight.




31. Insert Backrest Cushions into their covers.




32. Place the cushions onto the sofa.



33. Converting to bed.



34. Converting to sofa.



Cover Care Instructions

Your Byron Sofabed cover is removable and washable! How good! Save this guide for when you wash your covers!

WASH INSTRUCTIONS




Remove your cover, (follow steps steps 12-13, 19 & 21-31 in reverse order)



Line dry in shade



To prevent shrinkage, cold machine wash



Re-fit the covers by following steps 12-13, 19 & 21-31

Product Information and Care

FABRIC

Regular Care (Weekly)

- · Vacuum regularly using low suction.
- Protect from direct sunlight.

Removable Covers

 For correct care of the removable covers, refer to the care label inside covers for additional cleaning instructions.

Spot Cleaning

- Remove any spills immediately by gently blotting any liquid with a clean cloth.
- · Scoop up any solids before blotting the remaining liquid.
- Use a mild detergent to gently remove any loose soilage.
- Do not scrub with a stiff brush.
- Use a clean cloth to blot out any excess liquid.
- Avoid over wetting as this may result in a water mark.
- · Allow the fabric to air dry in a well ventilated area away from direct sunlight

NOTE: PRETEST THE CLEANING METHOD ON A HIDDEN AREA OF THE SOFA. IF CHANGE IN COLOUR, OR TRANSFER DO NOT CONTINUE.

PILLING

Pilling can occur occasionally as a result of normal daily wear and should not be considered a fault. Fiber pills can be removed with a battery operated pilling tool, available from most haberdashery stores.

WARNING: CARELESS USE OF CIGARETTES AND MATCHES COULD SET FIRE TO THIS PRODUCT.

FRAME

Regular Care (Weekly)

- Wipe down with a clean cloth.
- · Protect from direct sunlight.


Cleanina

• Do not use abrasive cloths or concentrated detergents on the metal frame.

SAFETY AND USE

- Pull and push the pull-out frame from the middle and as straight as possible.
- Take care of your fingers when closing the bed frame.
- Do not jump or stand directly on the bed frame.
- · Avoid sitting on the arms or backrest.
- Avoid dragging the sofa bed if you need to move it (remember to remove the bed frame first).





Don't forget to recycle.

koʻala